




**FITTING INSTRUCTIONS FOR LP0109BK LICENCE PLATE BRACKET**  
**SUZUKI BANDIT 650 2010**



**THIS KIT CONTAINS THE ITEMS PICTURED AND LABELLED BELOW.**  
**DO NOT PROCEED UNTIL YOU ARE SURE ALL PARTS ARE PRESENT.**

**Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike**  
**THE PARTS SHOWN MAY BE REPRESENTATIVE ONLY (FOR CLARITY OF INSTRUCTIONS ONLY)**



R&G Racing  
Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ  
Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



### **LEGEND**

- ITEM 1 = LICENCE PLATE BRACKET (TB0109 PT 1 BK) (x1).
- ITEM 2 = M6x16mm LONG BUTTON HEAD BOLTS (x4).
- ITEM 3 = 150mm LENGTHS OF HEAT SHRINK (x3).
- ITEM 4 = M6x6mm LONG BUTTON HEAD BOLTS (BLACK) (x4).
- ITEM 5 = INDICATOR BRACKET R-H-S (TB0109 PT 3 BK) (x1).
- ITEM 6 = RUBBER BLANKING GROMMETS (RB80-30-00) (x2).
- ITEM 7 = LICENCE PLATE ILLUMINATOR CONNECTION (CON006) (x1).
- ITEM 8 = CABLE CLIPS (x2).
- ITEM 9 = REFLECTOR (REFL 1) (x1).
- ITEM 10 = LICENCE PLATE ILLUMINATOR ASSEMBLY (LA0002) (x1) TO INCLUDE SHROUD AND BULLET CONNECTORS.
- ITEM 11 = INDICATOR BRACKET L-H-S (TB0109 PT 2 BK) (x1).


Please note that in cases where kits are packed with rubber washers holding the components onto the bolt – *the rubber washers should be thrown away!*

### **TOOLS REQUIRED**

- Set of metric Allen keys to include 4 A/F size.
- Socket set to include 10 A/F socket and wrench.
  - 8mm spanner.
- Electrical pliers/crimps.



PICTURE 1



PICTURE 2

### **FITTING INSTRUCTIONS**

- REMOVE SEAT USING KEY.
- UNCLIP CABLE TIDY FOR REAR LIGHT AND INDICATOR WIRING AS SHOWN IN PICTURE 1.
- DISCONNECT INDICATORS AND LICENCE PLATE ILLUMINATOR WIRING SOCKETS (BLACK SOCKET=RIGHT HAND INDICATOR)  
(GREY SOCKET=LEFT HAND INDICATOR)  
(WHITE SOCKET= LICENCE PLATE ILLUMINATOR).

R&G Racing  
Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ  
Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



- REMOVE THE FOUR BOLTS SECURING THE ORIGINAL LICENCE PLATE BRACKET AS ARROWED IN PICTURE 2 AND GENTLY LOWER WHILE ENSURING THE WIRING PLUGS DO NOT SNAG ON ITS WAY THROUGH THE ORIGINAL ROUTING.
- FIT NEW LICENCE PLATE ILLUMINATOR (ITEM 10) TO NEW LICENCE PLATE BRACKET (ITEM 1) AS SHOWN IN PICTURE 3, HEAT SHRINK IS SUPPLIED TO PROTECT THE WIRES (ITEM 3) .
- **PLEASE NOTE YOU WILL NEED TO GLUE THE LIGHT SHROUD TO THE LED LICENCE PLATE ILLUMINATOR BEFORE FITTING USING SUPER GLUE.**
- USING THE LICENCE PLATE ILLUMINATOR CONNECTION (ITEM 7), CONNECT TO THE LICENCE PLATE ILLUMINATOR AS BELOW.

No PLATE LIGHT (ITEM 10) RED WIRE--- CONNECTOR (ITEM 7) SOLID BLACK WIRE  
No PLATE LIGHT (ITEM 10) BLACK WIRE--- CONNECTOR (ITEM 7) BLACK/WHITE WIRE.



PICTURE 3



PICTURE 4



PICTURE 5



PICTURE 6

- FIT INDICATORS OF CHOICE TO THE INDICATOR BRACKETS (SEE PICTURE 4), IF FITTING R&G MINI'S (PRODUCT CODE RG370) NO RESISTORS ARE REQUIRED, THESE CAN BE FITTED USING CONNECTIONS (x2) (CON 006 NOT SUPPLIED IN KIT) TO SAVE CUTTING ORIGINAL INDICATOR WIRES.



- IF USING MINI INDICATORS, TWO GROMMETS (ITEM 6) ARE SUPPLIED TO BLANK OFF HOLES.
- FIT THE TWO INDICATOR BRACKETS (ITEMS 5 AND 11) TO THE MAIN LICENCE PLATE BRACKET USING THE FOUR M6x6mm BUTTON HEAD BOLTS.
- FEED THE LICENCE PLATE ILLUMINATOR AND INDICATOR WIRES THROUGH THE HOLES IN THE UNDER TRAY AS ORIGINAL (SEE PICTURE 5).
- FEED THE WIRES THROUGH THE HOLES IN THE UNDER-TRAY AND ROUTE AS ORIGINAL AND RECONNECT WIRING SOCKETS. IT IS A GOOD IDEA TO TEST ALL LIGHTS AT THIS STAGE.
- USING THE FOUR M6x16mm BUTTON HEAD BOLTS SECURE THE LICENCE PLATE BRACKET AS SHOWN IN PICTURE 6.
- REFIT THE ORIGINAL CABLE TIDY CLIP TO LICENCE PLATE ILLUMINATOR AND INDICATOR WIRES AS ORIGINAL.
- REFIT SEAT.
- REFIT LICENCE PLATE (IT MAY REQUIRE DRILLING).
- **IMPORTANT: IF FITTING A FULL-SIZE LICENCE PLATE AND PLACING IT FAR DOWN ON THE LICENCE PLATE HANGER, THERE IS A SMALL CHANCE OF THE LICENCE PLATE HITTING THE BACK WHEEL UNDER HEAVY LOAD AND OVER LARGE BUMPS IN THE ROAD. IT IS YOUR RESPONSIBILITY TO CHECK FOR THIS POSSIBILITY AND TAKE AVOIDING ACTION. FAILURE TO CHECK THIS COULD RESULT IN SERIOUS INJURY.**
- DEPENDING ON LOCAL LAWS, ATTACH ENCLOSED REFLECTOR IN AN APPROPRIATE LOCATION.
- RECHECK THE LICENCE PLATE ILLUMINATOR AND ALL LIGHTS BEFORE RIDING.

ISSUE 1 28/07/2011 (NSY)

#### CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in resellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



**FRANCE**  
**INSTRUCTIONS DE MONTAGE DU SUPPORT DE PLAQUE**  
**LP0109BK SUZUKI BANDIT 650 2010**

**VERIFIER QUE TOUTES LES PIECES PRESENTEES SUR LA PHOTO PRINCIPALE**  
**SOIT PRESENTEES DANS LE KIT DE MONTAGE.**  
**LIRE TOUTE LA NOTICE AVANT DE COMMENCER LE MONTAGE.**

**LEGENDE**

- ART 1 = SUPPORT DE PLAQUE (TB0109 PT 1 BK) (x1).  
ART 2 = VIS M6x16mm (x4).  
ART 3 = TUBES EN CAOUTCHOUC THERMO-RETRACTABLE 150mm (x3).  
ART 4 = VIS M6x6mm (Noir) (x4).  
ART 5 = SUPPORT DE CLIGNOTANT DROIT (TB0109 PT 3 BK) (x1).  
ART 6 = BOUCHON EN CAOUTCHOUC (RB80-30-00) (x2).  
ART 7 = CABLES POUR LE SYSTEME D'ECLAIRAGE DE PLAQUE (CON006) (x1).  
ART 8 = CLIPS POUR FIXER LES CABLES (x2).  
ART 9 = REFLECTEUR (REFL 1) (x1).  
ART 10 = SYSTEM D'ECLAIRAGE DE PLAQUE (LA0002) (x1)  
ART 11 = SUPPORT DE CLIGNOTANT GAUCHE (TB0109 PT 2 BK) (x1).

**OUTILS NECESSAIRES**

- Jeu de clé Allen (incluant les clés de 4mm).
  - Jeu de clef à douille 10 mm
  - Clef plate de 8 mm
  - Pince d'électricien
  - Super glue

**INSTRUCTIONS**

- ENLEVER LA SELLE (UTILISER LA CLEF DE CONTACT).
- DECLIPIER LE COLLIER (MONTRE EN PHOTO 1) COLLIER QUI SOUTIEN LES CABLES DES CLIGNOTANTS ET DE LA LUMIERE ARRIERE;
- DECONNECTER LES PRISES DES CLIGNOTANTS ET DE LA LUMIERE DE LA PLAQUE  
(PRISE NOIR= CLIGNOTANT DROIT)  
(PRISE GRISE= CHLIGOTANT GAUCHE)  
(PRISE BLANCHE= LUMIERE DE PLAQUE)
- ENLEVER LES 4 BOULONS QUI FIXENT LE SUPPORT DE PLAQUE D'ORIGINE SUR LA MOTO. (VOIR LA PHOTO 2). ABAISSER ENSUITE LE SUPPORT DELICATEMENT, EN FAISANT ATTENTION A NE PAS ABIMER OU BLOQUER LES PRISES DANS LE CHEMIN DE CABLE; RISQUE DE DETERIORER LE FAISCEAU ELECTRIQUE.

R&G Racing  
Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ  
Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)